

Z | MAKINA

TREMIE PIPES



They are connectable pipes used to transfer concrete from the buckets and hopper to the bottom of the pile. They are easy to connect and disconnect. Products in various lengths and diameters can be provided as customer requirements. The tremie set are composed as follows:

- Tremie Pipe
- Hopper
- Tremie Platforms
- Holder
- Suspension Jig
- Pipe Cleaner and so on



TREMIE PIPES					
Pipe Diameter	mm	195	219	245	275
Wall Thickness	mm	8	8	8	8
Socket Diameter	mm	225	255	272	310
Length of Tremie	mm	1000-6000	1000-6000	1000-6000	1000-6000
Weight Of Tremie (1m)	kg	40	80	120	240
Weight Of Tremie (2m)	kg	46	92	138	276
Weight Of Tremie (3m)	kg	52	104	156	312
Weight Of Tremie (6m)	kg	58	116	174	348
Weight of Hopper	kg	245	250	255	260



Z MAKINA TEKNOLOJISI A.S

S.S. İstanbul Mermerciler Küçük Sanayi Sitesi Yapı Kooperatifi
29. Sokak No: 9 Köşeler Mah. 41455 Dilovası, Kocaeli, TÜRKİYE
info@zmakina.com.tr - +90 262 728 11 22
www.zmakina.com.tr